

FISHING BOATS



2000

There's a lot And, there are a lot

That presents you with a lot of choices to make about what to catch and where to find it. But the choice of what boat to chase down all those fish with is easy:



You'll find Sylvan offers you a variety of models to choose from, each one designed to make fishing for nearly any species, in all types of water, as effortless and enjoyable as possible. Fully loaded, professional-style boats, economical multi-purpose boats, simple car-toppers and Jon boats; the choice is all yours.

Are you choosing features? Inside your Sylvan, you'll find the kinds of practical, intelligent features that make each fishing trip a pleasure. Like lighted livewells and rod storage compartments. Lots of fish-fighting room. Built-in tackle trays. Multiple battery



storage locations. Storage up front, in and under the consoles, along the sides and in the back. And, enough seat bases for the whole crew to move their seats around until everyone is comfortable.

Maybe you're choosing a well-built boat. Again, Sylvan is the easy choice. Our seamless, one-piece bottom combines with our rock-solid rib structure to provide your Sylvan with a powerful foundation to take on the roughest of waters. Add in our five-keel construction, thick bottoms and sides, and the treated plywood floor with a lifetime warranty, and you've got a boat that's built for years of rugged dependability.

And, if you think we've forgotten those whose fishing boat of choice comes in



of fish out there. of places to go fishing.

fiberglass, think again: each model in our Viper series is a sturdy, powerful serpentine predator. You'll find plenty of fish-catching features coiled up inside, and the strong hull is set up to take a pounding. Plus, the dual and single console glass-liner boats make quick work of cleanup after an action-packed day.

No matter which Sylvan is your choice, you and your family will be able to relax and enjoy it for years to come. We thoroughly leak test every boat we make, and our exacting level flotation tests meet or exceed federal requirements. And, we back our boats with



warranties that are among the most solid in the boating industry.

Boating is far more than just a business to us; it's our choice for a way of life. Just like you, we enjoy the pre-dawn tranquility, drifting atop a dark blue mirror, the serene silence broken only by the gentle whirring of our rod whipping forward, the lure quickly disappearing into the early light, then a soft, distant plunk as it goes to work. It's that kind of moment that guides us to build the boats we do, and why we build them the way we do.

*It's why Sylvan
is the boat of choice.
And, why it's the right choice.*

MERCURY

The Water Calls



Features

ALUMINUM
WATERCRAFT

Take a look at




Rock-solid rib construction

Enjoy a solid foundation that gives you and your family a boat that will easily handle any kind of water. The superb strength and performance of your Sylvan boat starts with our seamless one-piece bottom, which provides increased hull integrity. The rock-solid rib structure features .100-gauge, hand-formed ribs on 10" centers, giving your Sylvan incredible lateral strength and rigidity. Up to eight hat-shaped ribs back up the rugged hull. With a hull this strong, you'll be ready for anything.



Treated flooring

Long-lasting beauty and strength are right under your feet. You'll enjoy solid support for a lifetime in your Sylvan because we build our floors with specially treated XL plywood that won't warp or rot. We also provide a lifetime warranty on the floor, giving you years of maintenance-free enjoyment. Then, we cover the floor with thick, luxurious marine carpet that complements your boat, giving you an eye-pleasing interior. Durable and easy to clean, the carpet comes with a five-year warranty that makes it even more attractive.



Flow Rite livewell system

The fish won't mind getting caught when you put them in your Sylvan's Flow Rite livewell system. The fill pump (1), which can be operated manually or on a timer, draws in water and pumps it into the livewell, where it circulates at the bottom of the tank. An air hole in the top of the fill pipe (2) mixes air with the water to create the aeration necessary to keep the fish happy and healthy (3). When the livewell is full, a separate recirculating pump (4) works in a continuous loop to keep aerated water moving in the livewell, even while heading back to the weigh-in or trailering. Extra water drains out the overflow, located on the side of the boat. For easy cleaning, the livewell has a bottom drain (5) with the drain hose running through the transom, not the floor (6).

Why Sylvan is the Boat of Choice



Lighted rod storage

You've got to be prepared for anything, so you need to take along lots of rods. Knowing that, we've provided plenty of rod storage to keep everything organized. The long, lockable rod boxes feature large openings for easier rod placement. Plus, many rod boxes now include lights, so you can find the right rod when fishing at night. You might say we help lighten your load.

Lighted livewells

You won't have to worry about losing your catch in the dark, because the spacious, aerated livewells in your Sylvan feature a built-in light. The fish will be kept cleaner and healthier, especially with the Flow Rite system found in most models, which include timers and recirculating pumps to help keep the water fresh. Foam-backed lids provide superb insulation, and control switches on the dash and on panels close to each livewell mean convenience for you.



Fisherman's top

When the weather changes, we've got you covered. A fisherman's top, complete curtain package and bow cover are available for most models. Whether it starts to rain or you just want a little shade, the top and curtains go up easily and quickly. Depending on if you want a cool breeze blowing in or you're keeping water out, the curtains zip open or shut, and the top also comes with a boot for easy storage. The bow cover will keep debris from littering your bow so it stays clean.

Gull wing hull

Most Sylvan boats feature the time-tested, dependable gull wing hull, which is used throughout the boating industry. This deep-V hull, designed by the same people who work in Sylvan's R & D section, gets you on plane quicker than a standard-V hull. Its shape provides better transom lift, so you're out of the hole and on plane faster. You'll also be able to run smoothly on the last three feet of the hull, the area a properly trimmed boat should run on, allowing the engine to perform more efficiently and reducing fuel consumption. The gull wing hull is also more stable than other hulls, providing you with the same excellent performance and handling at full throttle as a luxury car. When fishing, you don't rock back and forth when moving around in the boat while in choppy water.






1900 Excursion DC



Automotive-style Instrumentation



Rear Removable Backrest with Cushion



Front Aerated Livewell with Bailwell



Sure-lock Seat System



1900 Excursion DC



1600 Excursion DC

Excursion

ALUMINUM WATERCRAFT

1600 Excursion SC

Excursion

	1900 DC	1600 DC	1600 SC
Center Length	18'10"	16'6"	16'6"
Beam	96"	88"	88"
Depth	38"	37"	37"
Interior Depth	27"	25"	25"
Maximum H.P.	175*	90	90
Weight	1380	940	940
Weight Capacity	1750	1300	1300
Maximum Persons	8	5	5
Transom Width	96"	85"	85"
Transom Height	LS	LS	LS
Bottom Gauge	.125	.080	.080
Side Gauge	.086	.076	.076

*All boats using greater than 125 H.P. DB should have dual or hydraulic steering.

MERCURY
The Water Calls

Make every fishing excursion one to remember. Lighted rod storage, dual livewells, and baitwells lead off a long list of features sure to please even the most demanding anglers.

Adventurer

ALUMINUM
WATERCRAFT



1700 Adventurer DC



1600 Adventurer SC

Adventurer

	1900 DC	1700 DC	1700 SC	1600 DC	1600 SC	1600 Tiller
Center Length	18'10"	17'6"	17'6"	16'6"	16'6"	16'6"
Beam	96"	85"	85"	88"	88"	88"
Depth	38"	39"	39"	37"	37"	37"
Interior Depth	27"	27"	27"	25"	25"	25"
Maximum H.P.	175*	125	125	90	90	90
Weight	1360	1260	1260	940	920	920
Weight Capacity	1750	1560	1560	1300	1300	1300
Maximum Persons	8	7	7	5	5	5
Transom Width	96"	83"	83"	85"	85"	85"
Transom Height	LS	LS	LS	LS	LS	LS
Bottom Gauge	.125	.100	.100	.080	.080	.080
Side Gauge	.086	.086	.086	.076	.076	.076

*All boats using greater than 125 H.P. OB should have dual or hydraulic steering.

You'll have plenty of stories to tell, and lots of thrills and excitement as well, when you travel with an Adventurer.

MERCURY
The Water Calls

1600 Adventurer D



1700 Adventurer SC



1600 Adventurer Tiller



1900 Adventurer DC



1700 Adventurer Removable Backrest





1600 Expedition DC



1600 Expedition SC

Rod Storage



Expedition ALUMINUM WATERCRAFT

Aerated Livewell



Console



Expedition

	DC	SC
Center Length	16'0"	16'0"
Beam	88"	88"
Depth	33"	33"
Interior Depth	24"	24"
Maximum H.P.	75	75
Weight	750	720
Weight Capacity	1250	1250
Maximum Persons	5	5
Transom Width	85"	85"
Transom Height	LS	LS
Bottom Gauge	.080	.080
Side Gauge	.070	.070

MERCURY
The Water Calls



The easiest way to mount a memorable fishing expedition is to climb aboard with all your gear and simply drive away from the dock.

Bass ALUMINUM WATERCRAFT

Bass

	1700	1600
Center Length	17'5"	16'2"
Beam	77"	73"
Depth	23"	23"
Interior Depth	16"	16"
Maximum H.P.	90	60
Weight	1140	980
Weight Capacity	1100	1100
Maximum Persons	4	4
Transom Width	75"	73"
Transom Height	LS	LS
Bottom Gauge	.100	.100
Side Gauge	.100	.100




1700 Bass
Bow Dry Storage

Under-seat Storage



If you've got a passion for bassin', you'll have a blast with each cast. Spacious platforms, ample storage and a quick-planing hull let you catch plenty of fun.



1600 Bass



1600 Bass Console



1700 Bass

 **YAMAHA**



1600 Bass



V180 Viper GLX



V180 Viper GLX



V180 Viper OB

Viper FIBERGLASS WATERCRAFT



V180 Viper GLS



Viper GLX Rod Storage

V180 Viper Toe Kick



V180 Viper

	OB	GLX	GLS
Center Length	18'0"	18'0"	18'0"
Beam	96"	96"	96"
Draft	1'6"	1'6"	1'6"
Dead Rise	19°	19°	19°
Maximum H.P.	175*	175*	175*
Maximum Persons	6	6	6
Weight	1275	1460	1460
Weight Capacity	1650	1650	1650

*All boats using greater than 125 H.P. OB should have dual or hydraulic steering.

MERCURY
The Water Calls

Slither silently and smoothly to your special spots in these sleek, swift serpents, then settle in for strike after satisfying strike.

Navigator

ALUMINUM
WATERCRAFT



1700 Navigator

Navigator

	1900	1700	1400
Center Length	18'10"	17'4"	14'2"
Beam	96"	84"	67 1/2"
Depth	38"	37"	30"
Interior Depth	27"	25"	22"
Maximum H.P.	175*	125	40
Weight	1360	950	380
Weight Capacity	1750	1650	1000
Maximum Persons	8	6	4
Transom Width	96"	84"	60"
Transom Height	LS	LS	LS
Bottom Gauge	.125	.100	.064
Side Gauge	.086	.086	.060

*All boats using greater than 125 H.P. OB should have dual or hydraulic steering.

Navigator Rod Storage




Designed to know where all the best spots are, you can always rely on a Navigator to lead you to the right fishing destination.



1400 Navigator SC

Navigator Toe Kick



1900 Navigator DC

 **YAMAHA**



1900 Navigator DC

2300 Offshore shown
with optional trim tabs



Console

Cooler Storage



Porta-Potti



Offshore

ALUMINUM WATERCRAFT

Rear Workstation



Offshore

	2300
Center Length	23'2"
Beam	102"
Depth	52"
Interior Depth	33 1/2"
Maximum H.P.	250
Weight	2360**
Weight Capacity	2400
Maximum Persons	11
Transom Width	100"
Bottom Gauge	.125
Side Gauge	.096

**Less engine.

MERCURY
MerCruiser



Big waters mean big challenges, and this big rig turns them all into big fun. Rugged, powerful and loaded with features, it's built for those who prefer to venture far offshore.

Explorer

ALUMINUM
WATERCRAFT



Explorer

	1600 SC	1600 Tiller	1500 SC	1500 Tiller
Center Length	16'0"	16'0"	15'5"	15'5"
Beam	79"	79"	72"	72"
Depth	32"	32"	32"	32"
Interior Depth	22"	22"	21"	21"
Maximum H.P.	50	50	40	40
Weight	680	660	540	520
Weight Capacity	1200	1200	1000	1000
Maximum Persons	5	5	5	4
Transom Width	74"	74"	61 1/2"	61 1/2"
Transom Height	LS	LS	LS	LS
Bottom Gauge	.070	.070	.070	.070
Side Gauge	.064	.064	.060	.060

Whether it's a new spot or an old favorite, you'll enjoy exploring each one in these all-purpose fish hunters. Tough and dependable, they're always ready to see what's out there.

1500 Explorer Livewell





1600 Explorer Tiller



1600 Explorer SC



EVINRUDE



1500 Explorer SC



1500 Explorer Tiller

1400 Sport Troller



1600 Sport Troller



1400 Super Snapper



1600 Sea Snapper



1400 Sea Snapper



Sport Troller Super Snapper Sea Snapper

ALUMINUM WATERCRAFT

Fishing

	1600 Sport Troller	1400 Sport Troller	1600 Super Snapper	1400 Super Snapper	1600 Sea Snapper	1400 Sea Snapper
Center Length	16'10"	14'5"	16'5"	14'2"	16'5"	14'2"
Beam	69"	67½"	70½"	68½"	70½"	68½"
Depth	33"	29½"	31"	30"	31"	30"
Interior Depth	22"	19"	22"	22"	31"	30"
Maximum H.P.	45	35	40	35	40	35
Weight	540	385	420	285	350	230
Weight Capacity	1100	975	1100	1000	1100	1000
Maximum Persons	5	4	5	4	5	5
Transom Width	59"	59"	63"	60"	63"	60"
Transom Height	LS	LS/SS	LS	LS/SS	LS	LS/SS
Bottom Gauge	.064	.064	.064	.064	.064	.064
Side Gauge	.060	.060	.060	.060	.060	.060

MERCURY
The Water Calls



1600 Super Snapper

Fishing is a simple joy, made even more so in these uncomplicated stalwarts. They're practical and reliable, so you can savor each serene moment.

Striker Sea Breeze Fish Advantage Jon Boats

ALUMINUM WATERCRAFT



Fishing

	1500 Striker	1400 Sea Breeze	1200 Sea Breeze	1200 Fish Advantage	1860 MV	1750 MV 1750 MVX	1648 1648 LW	1644 MV 1644 MVX	1550 MV 1550 MVX	1448 1448 LW	1444 MV 1444 MVX	1436 1436 LW	1436 LW
Center Length	15'5"	13'10"	11'9"	11'9"	18'5"	17'0"	16'0"	16'0"	15'0"	14'0"	14'0"	14'0"	14'0"
Beam	72"	58"	56"	52"	89"	74"	72"	63"	74"	72"	63"	57"	57"
Depth	32"	20"	20"	17"	24"	22"	22"	22"	22"	22"	22"	18"	18"
Interior Depth	32"	20"	20"	17"	20"	22"	22"	22"	22"	22"	22"	18"	18"
Maximum H.P.	40	15	10	7.5	65	45	35	35	45	25	25	20	20
Weight	290	130	112	93	500	365	295	300	335	260	280	185	185
Weight Capacity	1100	700	600	455	1350	1150	900	900	950	900	800	650	650
Maximum Persons	4	4	3	2	6	4	4	4	4	3	3	3	3
Transom Width	61"	50 1/2"	50 1/2"	46 1/2"	90"	73 1/2"	71"	68"	73 1/2"	71"	68"	56"	56"
Transom Height	LS	SS	SS	SS	LS	LS	LS/SS	LS	LS	LS/SS	LS/SS	SS	SS
Bottom Gauge	.070	.050	.050	.050	.100	.080	.072	.072	.072	.072	.072	.064	.064
Side Gauge	.060	.050	.050	.050	.100	.080	.072	.072	.072	.072	.072	.064	.064



Dependable, economical, rugged, loyal - take your pick, because they all apply. Built Sylvan-tough, their never-say-die attitude means years of fishing enjoyment.



1400 Sea Breeze



1500 Striker



1200 Sea Breeze



1200 Fish Advantage

1432	1232	1032
14'0"	12'0"	10'0"
51"	51"	51"
16"	16"	16"
16"	16"	16"
7	6	3
140	120	100
390	390	290
2	2	2
50"	50"	50"
SS	SS	SS
.050	.050	.050
.050	.050	.050



1644 MVX Jon

Jon

an

1900 EXCURSION DC

SEAT STANDARDS: (5) Floor Bases • Helm Pedestal w/Slider • (2) Movable Hydraulic Pedestals • (3) Bass Seats • (2) Backrests w/Seat Cushions

CONSOLE STANDARDS: Curved Walk-thru Windshield • Automotive Instrumentation w/Tachometer, Speedometer, Volt, Fuel & Depth Gauges • Horn • Circuit Breakers • AM/FM Cassette • Tilt Steering • Anti-feedback Steering

STORAGE STANDARDS: Lighted Rod Storage (Port & Star) • (3) Battery Compartments • Lockable Glove Box • Under Console (Port & Star) • Console Front (Port & Star) • Dry Storage (Rear Platform)

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 30 Gallon (Stern) • Bilge Pump • (2) 40-gallon Fuel Tank • Timers, Recirculating Pumps

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Panel • Battery Check Gauge • Motor Tilt Switch

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Bow Courtesy Light • Stern Courtesy Light • Navigational Lights • Bilge Pump • 40-gallon Fuel Tank • Twice-baked Urethane Paint • Convertible Top • Cup Holders • Reinforced for Downriggers

OPTIONS: Side Curtains • Aft Curtains • Bow Cover • Walk-thru Curtains • Mooring Cover • Hydraulic Steering • Tilt Hydraulic Steering • Dual Steering • Seat Arms • Bass Seat

COLOR: Black

1600 EXCURSION DC & SC

SEAT STANDARDS: (5) Seat Bases • Helm Pedestal w/Slider • (2) Movable Hydraulic Pedestals • (3) Bass Seats • Removable Backrests w/Seat Cushion

CONSOLE STANDARDS: Curved Walk-thru Windshield (DC Only) • Tachometer, Speedometer, Volt & Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette • Tilt Steering

STORAGE STANDARDS: Lighted Rod Storage (Port) • Starboard Side Storage • Lockable Glove Box (DC Only) • Bow Storage • (2) Battery Storage • Under Console Storage • Tackle Tray (Star)

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 13 Gallon (Stern) • Timers, Recirculating Pumps

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Panel w/Battery Check Gauge • Tilt Switch

HARDWARE STANDARDS: (4) 4" Cleats • 8" Access Plate

MISCELLANEOUS: Stern Courtesy Light • Navigational Lights • Bilge Pump • 24-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Convertible Top (DC Only) • Side Curtains (DC Only) • Aft Curtain (DC Only) • Walk-thru Curtain (DC Only) • Bow Cover (DC Only) • Mooring Cover • Seat Arms • Bass Seat

COLORS: Moonstone • Black

1900 ADVENTURER DC

SEAT STANDARDS: (5) Seat Bases • Helm Pedestal w/Slider • (2) Movable Hydraulic Pedestals • (3) Bass Seats • Backrests w/Seat Cushions

CONSOLE STANDARDS: Curved Walk-thru Windshield • Tachometer, Speedometer, Voltmeter, Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette • Tilt Steering • Anti-feedback Steering

STORAGE STANDARDS: Lighted Rod Storage (Port & Star) • (3) Battery Compartments • Lockable Glove Box • Console Storage (Port) • Storage Under Console

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 30 Gallon (Stern) • Timers, Recirculating Pumps

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Panel w/Storage • Battery Check Gauge • Motor Tilt Switch

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Bow Courtesy Light • Stern Courtesy Light • Navigational Lights • Bilge Pump • 40-gallon Fuel Tank • Twice-baked Urethane Paint • (2) Cup Holders • Reinforced for Downriggers • Convertible Top

OPTIONS: Side Curtains • Aft Curtains • Bow Cover • Walk-thru Curtains • Mooring Cover • Hydraulic Steering • Tilt Hydraulic Steering • Dual Steering • Seat Arms • Bass Seat

COLOR: Moonstone

1700 ADVENTURER DC & SC

SEAT STANDARDS: Helm Pedestal w/Slider • (5) Seat Bases • (2) Movable Hydraulic Pedestals • (3) Bass Seats • Removable Rear Backrest

CONSOLE STANDARDS: Curved Walk-thru Windshield (DC Only) • Tachometer, Speedometer, Volt, & Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette • Tilt Steering • Anti-feedback Steering

STORAGE STANDARDS: Lighted Rod Storage (Port & Star) • Bow Storage • (2) Battery Compartments • Under Console Storage • Tackle Tray (Star) • In-floor Storage • Stern Storage

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 23 Gallon (Stern) • Timers, Recirculating Pumps

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Panel • Battery Check Gauge • Motor Tilt Gauge

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Stern Courtesy Light • Bow Courtesy Light • Navigational Lights • Bilge Pump • 31-gallon Fuel Tank • Twice-baked Urethane Paint • Convertible Top (DC Only)

OPTIONS: Side Curtains (DC Only) • Aft Curtains (DC Only) • Bow Cover (DC Only) • Walk-thru Curtains (DC Only) • Mooring Cover • Dual Steering • Seat Arms • Bass Seat • Rear-Seat Cushion • Windshield (SC Only)

COLORS: Emerald • Black

1600 ADVENTURER DC & SC

SEAT STANDARDS: (5) Seat Bases • Helm Pedestal w/Slider • (2) Movable Hydraulic Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield (DC Only) • Tachometer, Speedometer, Volt & Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette

STORAGE STANDARDS: Lighted Rod Storage (Port) • Side Storage (Star) • Bow Storage • (2) Battery Compartments • Under Console Storage • Tackle Tray (Star)

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 13 Gallon (Stern)

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 4" Cleats • 8" Access Plate

MISCELLANEOUS: Stern Courtesy Light • Navigational Lights • Bilge Pump • 24-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Side Curtains (DC Only) • Aft Curtains (DC Only) • Bow Cover (DC Only) • Walk-thru Curtains (DC Only) • Mooring Cover • Seat Arms • Bass Seat • Rear-Seat Cushion (DC Only) • Convertible Top (DC Only) • Removable Rear Bench Seat w/Cushion • Windshield (SC Only)

COLOR: Emerald

1600 ADVENTURER TILLER

SEAT STANDARDS: (4) Seat Bases • (1) Stationary Pedestal • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Tachometer, Speedometer, Volt & Fuel Gauge

STORAGE STANDARDS: Rod Storage (Port) • Side Storage (Star) • Bow Storage • (2) Battery Compartments • Stern Storage

LIVEWELL STANDARDS: 30 Gallon (Bow)

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 4" Cleats • 8" Access Plate

MISCELLANEOUS: Stern Courtesy Light • Navigational Lights • Bilge Pump • 24-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Mooring Cover • Seat Arms • Bass Seat

COLOR: Emerald

1600 EXPEDITION DC & SC

SEAT STANDARDS: (4) Seat Bases • Helm Pedestal w/Slider • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield (DC Only) • Speedometer, Fuel Gauge • Horn

STORAGE STANDARDS: Rod Storage (Port & Star) • Battery Compartment • Bow Storage • Stern Storage

LIVEWELL STANDARDS: 30 Gallon (Bow)

HULL STANDARDS: Semi V-Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 4" Cleats • 8" Access Plate

MISCELLANEOUS: Stern Courtesy Light • Navigational Lights • Bilge Pump • 20-gallon Fuel Tank • Twice-baked Urethane Paint • (2) Cup Holders

OPTIONS: Convertible Top (DC Only) • Side Curtains (DC Only) • Aft Curtain (DC Only) • Walk-thru Curtain (DC Only) • Bow Cover (DC Only) • Mooring Cover • Seat Arms • Bass Seat • Windshield (SC Only) • AM/FM Stereo Cassette

COLOR: Moonstone

1700 BASS BOAT

SEAT STANDARDS: (2) Seat Bases • (4) Bass Seats

CONSOLE STANDARDS: Console w/Backrest (Star) • Tachometer, Speedometer, Volt & Fuel Gauges

STORAGE STANDARDS: Rod Storage (Port) • (4) Large Storage Areas • (2) Battery Compartments • Under Helm Seat • Under Passenger Seat

LIVEWELL STANDARDS: 27 Gallon (Stern) • 20 Gallon (Bow)

HULL STANDARDS: Hydra-Lift Hull w/10-year Warranty • (1) Center Keel • Treated Floor w/Lifetime Warranty • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Bow Courtesy Light • Stern Courtesy Light • Navigational Lights • Bilge Pump • 16-gallon Fuel Tank • Cup Holders • Windshield • Twice-baked Urethane Paint

OPTIONS: Mooring Cover

COLOR: Emerald

1600 BASS BOAT

SEAT STANDARDS: (2) Seat Bases • (4) Bass Seats

CONSOLE STANDARDS: Console w/Backrest (Star) • Tachometer, Speedometer, Volt & Fuel Gauge

STORAGE STANDARDS: Rod Storage (Port) • (4) Large Storage Areas • (2) Battery Compartments • Under Helm Seat • Under Passenger Seat

LIVEWELL STANDARDS: 27 Gallon (Stern)

HULL STANDARDS: Hydra-Lift Hull w/10-year Warranty • (1) Center Keel • Treated Floor w/Lifetime Warranty • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Bow Courtesy Light • Stern Courtesy Light • Navigational Lights • Bilge Pump • 12-gallon Fuel Tank • Cup Holders • Windshield • Twice-baked Urethane Paint

OPTIONS: Mooring Cover

COLOR: Emerald

V180 VIPER OB

SEAT STANDARDS: (5) Seat Bases • Helm Pedestal w/Slider • (1) Movable Hydraulic Pedestal • (1) Movable Pedestal • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield • Speedometer, Tachometer, Volt Meter & Fuel Gauge • 12-volt Receptacle • AM/FM Stereo Cassette • Anti-feedback Steering • Horn • Tilt Steering

STORAGE STANDARDS: Rod Storage (Port & Star) • (2) Battery Compartments • Bow Storage • Stern Storage

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 30 Gallon (Stern) • Timers, Recirculating Pumps

HULL STANDARDS: ISO NPG Marine Gel-coat 7-layer Construction

TROLLING STANDARDS: Trolling Motor Panel • Motor Tilt Switch

HARDWARE STANDARDS: (4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS: 37-gallon Fuel Tank • Bow Courtesy Light • Navigational Lights • Bilge Pump • Color-coordinated Top

OPTIONS: Side Curtains • Aft Curtain • Bow Cover • Mooring Cover • Hydraulic Steering • Tilt Hydraulic Steering • Dual Steering • Bass Seats

COLORS: Blue • Red • Sage • Black

V180 VIPER GLS

SEAT STANDARDS: (5) Seat Bases • Helm Pedestal w/Slider • (1) Movable Hydraulic Pedestal • (1) Movable Pedestal • (3) Bass Seats • Windshield

CONSOLE STANDARDS: Speedometer, Tachometer, Volt Meter & Fuel Gauge • 12-volt Receptacle • AM/FM Stereo Cassette • Anti-feedback Steering • Horn • Tilt Steering

STORAGE STANDARDS: Rod Storage (Port & Star) • (2) Battery Compartments • Bow Storage • Stern Storage • In-floor Storage

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 30 Gallon (Stern) • Timers, Recirculating Pumps • Bow Bilge • Stern Bilge

Standards & Options WATERCRAFT

HULL STANDARDS: ISO NPG Marine Gel-coat 7-layer Construction

TROLLING STANDARDS: Trolling Motor Panel • Battery Check Gauge • Motor Tilt Switch

HARDWARE STANDARDS: (4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS: 37-gallon Fuel Tank • Bow Courtesy Light • Navigational Lights • Bilge Pump

OPTIONS: Mooring Cover • Hydraulic Steering • Tilt Hydraulic Steering • Dual Steering • Bass Seat

COLORS: Blue • Red • Sage • Black

V180 VIPER GLX

SEAT STANDARDS: Helm Pedestal w/Slider • (5) Seat Bases • (1) Movable Hydraulic Pedestal • (1) Movable Pedestal • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield • Speedometer, Tachometer, Volt Meter & Fuel Gauge • 12-volt Receptacle • AM/FM Stereo Cassette • Anti-feedback Steering • Horn • Tilt Steering

STORAGE STANDARDS: Rod Storage (Port & Star) • (2) Battery Compartments • Bow Storage • Stern Storage • In-floor Storage

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 30 Gallon (Stern) • Timers, Recirculating Pumps

HULL STANDARDS: ISO NPG Marine Gel-coat 7-layer Construction

TROLLING STANDARDS: Trolling Motor Panel • Battery Check Gauge • Motor Tilt Switch

HARDWARE STANDARDS: (4) Stainless Steel Cleats • 8" Access Plate

MISCELLANEOUS: 37-gallon Fuel Tank • Bow Courtesy Light • Navigational Lights • Bilge Pump • Color-coordinated Top

OPTIONS: Side Curtains • All Curtain • Bow Cover • Mooring Cover • Hydraulic Steering • Tilt Hydraulic Steering • Dual Steering • Bass Seat

COLORS: Blue • Red • Sage • Black

1900 NAVIGATOR DC

SEAT STANDARDS: Helm Pedestal w/Slider • (4) Seat Bases • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield • Tachometer, Speedometer, Volt & Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette • Tilt Steering • Anti-feedback Steering

STORAGE STANDARDS: Lighted Rod Storage (Port & Star) • Storage (Starboard) • (3) Battery Compartments • Lockable Glove Box • Console Storage (Port & Star) • Storage Under Console

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Timers, Recirculating Pumps

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • Vinyl Floor Covering • (5) Keels

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Navigational Lights • Bilge Pump • 40-gallon Fuel Tank • Twice-baked Urethane Paint • Cup Holders • Reinforced for Downriggers

OPTIONS: Convertible Top • Side Curtains • All Curtains • Bow Cover • Walk-thru Curtains • Mooring Cover • Hydraulic Steering • Dual Steering • Seat Arms • Bass Seat

COLOR: Emerald

1700 NAVIGATOR DC

SEAT STANDARDS: Helm Pedestal w/Slider • (4) Seat Bases • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Curved Walk-thru Windshield • Tachometer, Speedometer, Volt & Fuel Gauge • Horn • Circuit Breakers • AM/FM Stereo Cassette

STORAGE STANDARDS: Lighted Rod Storage (Port) • Rod Storage (Star) • Bow Storage • (2) Battery Compartments • Tackle Tray • In-floor Storage

LIVEWELL STANDARDS: Lighted 30 Gallon (Bow) • Lighted 25 Gallon (Stern)

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • Vinyl Floor Covering

TROLLING STANDARDS: Trolling Motor Plug

HARDWARE STANDARDS: (4) 6" Cleats • 8" Access Plate

MISCELLANEOUS: Courtesy Light • Navigational Lights • Bilge Pump • 31-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Convertible Top • Side Curtains • All Curtains • Bow Cover • Walk-thru Curtains • Mooring Cover • Tilt Steering • Dual Steering • Seat Arms • Bass Seat

COLOR: Emerald

1400 NAVIGATOR SC

SEAT STANDARDS: (1) Seat Base • (1) Movable Pedestal • (2) Bass Seats

CONSOLE STANDARDS: Driver's Console

STORAGE STANDARDS: Bow Storage • Starboard Side Storage

LIVEWELL STANDARDS: 18 Gallon (Port)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • Vinyl Floor Covering

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Navigational Lights • (1) Pair Rod Holders

OPTIONS: Mooring Cover • Windshield • Seat Arms • Bass Seat

COLOR: Emerald

2300 OFFSHORE I/O

SEAT STANDARDS: Driver's Pedestal Seat w/Slider • Passenger Pedestal Seat • (2) Bass Seats • Seat Arms • Stern Fold Up Jump Seats

CONSOLE STANDARDS: Windshield • Tachometer, Speedometer, Volt, Oil, Trim & Fuel Gauge • Tilt Steering • Horn • Circuit Breaker • 12-volt Accessory Plug • AM/FM Stereo Cassette

STORAGE STANDARDS: Port Rod Storage • Starboard Rod Storage • Lockable Glove Box • Tackle Tray • Cooler Storage • Bow Storage • Battery Storage

LIVEWELL STANDARDS: 25 Gallon (Star)

HULL STANDARDS: Gull Wing Hull • Treated Floor w/Lifetime Warranty • (5) Keels • Vinyl Floor Covering • Carpet in Cabin (5-year Warranty)

HARDWARE STANDARDS: Stainless Steel Bow Rail • (4) 6" Cleats

MISCELLANEOUS: Cabin Courtesy Light • Bow & Stern Courtesy Light • Navigational Lights • Bilge Pump • 80-gallon Fuel Tank • Twice-baked Urethane Paint • Cabin Cushions • (4) Cup Holders • Bow Rails • Cabin Access Hatch • Cabin Windows • Convertible Top • Porta-Potti • Reinforced for Downriggers

OPTIONS: Side Curtains • All Curtains • Swim Platform

COLOR: Blue

1600 EXPLORER SC

SEAT STANDARDS: Helm Pedestal • (2) Seat Bases • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Starboard Console w/Speedometer & Volt Gauge • Horn

STORAGE STANDARDS: Rod Storage (Star) • Battery Compartment • Bow Storage • Glove Box

LIVEWELL STANDARDS: 18 Gallon (Port)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Courtesy Light • Navigational Lights • Bilge Pump • 15-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Mooring Cover • Seat Arms • Bass Seat • Windshield

COLOR: Black

1600 EXPLORER TILLER

SEAT STANDARDS: (2) Seat Bases • Helm Pedestal • (2) Movable Pedestals • (2) Bass Seats

CONSOLE STANDARDS: Fuel Gauge

STORAGE STANDARDS: Rod Storage (Star) • Battery Compartment • Bow Storage • Glove Box

LIVEWELL STANDARDS: 16 Gallon (Port)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Courtesy Light • Navigational Lights • Bilge Pump • 15-gallon Fuel Tank • Twice-baked Urethane Paint

OPTIONS: Mooring Cover • Seat Arms • Bass Seat

COLOR: Black

1500 EXPLORER SC

SEAT STANDARDS: (3) Seat Bases • Helm Pedestal • (2) Movable Pedestals • (3) Bass Seats

CONSOLE STANDARDS: Console w/Speedometer

STORAGE STANDARDS: Bow Storage • Battery Compartment • Stern Storage

LIVEWELL STANDARDS: 22 Gallon (Bow)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Navigational Lights • Bilge Pump • Twice-baked Urethane Paint • Rod Holders

OPTIONS: Mooring Cover • Seat Arms • Bass Seat • Windshield

COLOR: Moonstone

1500 EXPLORER TILLER

SEAT STANDARDS: (2) Seat Bases • Stationary Pedestal • (1) Movable Pedestal • (2) Bass Seats

STORAGE STANDARDS: Battery Compartment • Bow Storage • Stern Storage

LIVEWELL STANDARDS: 22 Gallon (Bow)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Navigational Lights • Bilge Pump • Twice-baked Urethane Paint • Rod Holders

OPTIONS: Mooring Cover • Seat Arms • Bass Seat

COLOR: Moonstone

1600 & 1400 SPORT TROLLER

SEAT STANDARDS: Stationary Pedestal • (3) Seat Bases • (1) Movable Pedestal • (2) Bass Seats

STORAGE STANDARDS: Rod Storage (Star) • Bow Storage • Lockable Glove Box

LIVEWELL STANDARDS: 21 Gallon (1600) 15 Gallon (1400)

HULL STANDARDS: Soft Chine Hull • Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

TROLLING STANDARDS: Trolling Motor Plug

MISCELLANEOUS: Navigational Lights • Bilge Pump • (2) Cup Holders (1600)

OPTIONS: Mooring Cover • Seat Arms • Bass Seat

COLOR: Black

1600 & 1400 SUPER SNAPPER

SEAT STANDARDS: (2) Seat Bases (1600)

CONSOLE STANDARDS: Circuit Breakers

STORAGE STANDARDS: Bow Storage (1600) • Starboard Side Storage

LIVEWELL STANDARDS: 25 Gallon (1600) 21 Gallon (1400)

HULL STANDARDS: Treated Floor w/Lifetime Warranty • (3) Keels • 5-year Carpet Warranty

MISCELLANEOUS: Navigational Lights • Bilge Pump (1600) • Rod Holders (Port & Star)

OPTIONS: Starboard Console • Mooring Cover • Seat Arms (1600) • Bass Seat (1600)

COLOR: Tormentor Red

1600 & 1400 SEA SNAPPER

SEAT STANDARDS: (4) Aluminum Bench Seats (3 in 1400)

HULL STANDARDS: Soft Chine Hull • (3) Keels

HARDWARE STANDARDS: Oar Locks • Castings w/Handles (Bow & Stern)

MISCELLANEOUS: Non-skid Interior • Painted Exterior • (2) Pair Rod Holders

OPTIONS: Starboard Console • Mooring Cover

COLOR: Tormentor Red

1500 STRIKER

SEAT STANDARDS: (4) Aluminum Bench Seats

HULL STANDARDS: (3) Keels

HARDWARE STANDARDS: Oar Locks • Castings w/Handles (Bow & Stern)

MISCELLANEOUS: Non-skid Interior • Painted Exterior

OPTIONS: Starboard Console • Mooring Cover

COLOR: Tormentor Red

1400 & 1200 SEA BREEZE

SEAT STANDARDS: (3) Aluminum Bench Seats

HARDWARE STANDARDS: Oar Locks • Castings w/Handles (Bow & Stern)

MISCELLANEOUS: Non-skid Interior • Painted Exterior

OPTIONS: Starboard Console • Mooring Cover

COLOR: Tormentor Red

1200 FISH ADVANTAGE

SEAT STANDARDS: (3) Aluminum Bench Seats

HARDWARE STANDARDS: Oar Locks • Castings w/Handles (Bow & Stern)

MISCELLANEOUS: Non-skid Interior



Sylvan Clothing

Complete your boating wardrobe with Sylvan shirts, jackets and hats.
For more information, send an e-mail message to service@sullivansportswear.com.

Limited Warranty

Sylvan warrants each new fiberglass hull for a period of five (5) years, and each new riveted aluminum hull for a period of ten (10) years, from the date of purchase by the original purchaser (based on years of use, under normal recommended operating conditions) as described in the warranty folder. A copy of the Sylvan Limited Warranty is attached to each new Sylvan boat, or may be obtained from any Sylvan dealer or the Sylvan factory.

Optional equipment is shown in some photographs used in this catalog. Please confirm standards and options with your dealer. All warranty information is available from your Sylvan dealer or directly from Sylvan Marine. Please write for more information.

Note: In our continuing efforts to build the best quality boats at affordable prices, it may become necessary during the course of the year to change specifications or materials used in construction. We reserve the right to make changes without prior notification.

Be sure to ask your dealer about our pontoon and fiberglass boats.



Visit us on the Internet at www.SylvanMarine.com

Sylvan Marine
P.O. Box 65
New Paris, IN 46553
219/831-2950
Fax: 219/831-7012

Sylvan Marine West
P.O. Box 219
Stayton, OR 97383
503/769-2996
Fax: 503/769-5835

Sylvan Marine South
P.O. Box 1267
LaGrange, GA 30241
706/882-1438
Fax: 706/882-9562

MERCURY
The Water Calls

MERCURY
MerCruiser