



SYLVAN FISHING BOATS




SYLVAN 08



- A CARPET**  
Our premium grade, 100% UV stabilized marine carpet will last for years to come and is backed by a 5-year warranty.
- B XL PLYWOOD FLOORS**  
With a lifetime warranty, you can count on the specially treated floor to hold its strength and never warp or rot.
- C URETHANE FOAM**  
When you walk on a Sylvan boat, you can feel the solid strength and support of the floor. That's because we fill every cavity with gasoline-resistant urethane foam to eliminate water pockets and give the boat more buoyancy and a quieter ride.




- D ADVANCED INTEGRATED RIB SYSTEM**  
The hull design on many of our boats features a .125 gauge one-piece bottom with .125 gauge hand-fitted ribs on 10" centers, for superior lateral strength. Combine this with the longitudinal strength of five keels, and you get superior impact resistance and better lift, handling and bottom support.
- E 5-KEEL CONSTRUCTION**  
Many of our boats feature five external keels, for the best stability and handling you'll find anywhere. The keels also offer greater protection from underwater objects, as well as from the wear and tear of launching and trailering your boat.



**ADVANCED INTEGRATED RIB SYSTEM**  
The choice is clear! Our exclusive Advanced Integrated Rib System utilizes hand-fitted, hat-shaped ribs for superior longitudinal strength and rigidity that simply outperforms our competitors' double-plated aluminum.



**THE GULL WING HULL**  
Our exclusive hull design keeps the bow down as you accelerate, getting you on plane faster with superior control.



**WARRANTY**  
Sylvan warrants each new aluminum hull for a period of ten (10) years, lifetime warranty on all riveted seams. A copy of the Sylvan Limited Warranty is attached to each new Sylvan boat, or may be obtained from any dealer or the Sylvan factory.



FISHERMAN'S TOP



FISHERMAN'S TOP WITH AFT AND SIDE CURTAINS AND BOW COVER

**KEEPING FOUL WEATHER OUTSIDE, WHERE IT BELONGS.**

Thanks to our fisherman's top you can fish comfortably, even when it's raining out. In addition, our complete curtain packages help you get out earlier in the spring and stay out later in the fall — keeping you warm in cooler temperatures. The top comes with a boot for easy storage, and the bow and mooring covers protect your boat from water and debris.



MOORING COVER



**FLOW RITE LIVEWELL SYSTEM**

This state-of-the-art livewell design helps ensure you get your catch home safely. To begin with, a fill pump draws in water, circulating it at the bottom of the tank, while an air hole in the top of the fill pipe allows air to mix with the water. In addition, a separate recirculating pump works in a continuous loop to keep aerated water moving in the livewell — even when you're refueling or drifting through stagnant waters. The livewell is easy to clean, thanks to a drain system that runs through the transom, not the floor.

**CONTENTS:**

PRO SPORT	04
ADVENTURER	06
EXPEDITION SPORT	07
EXPLORER	08
VIPER	10
SELECT, SPORT TROLLER & SUPER SNAPPER	11
STRIKER, ALASKAN, SEA BREEZE & SEA SNAPPER	12
JONS	12
STANDARDS & OPTIONS	13



08

SYLVAN

1900 DC



1700 DC



1600 DC



**REAR CONVERT-A-SEAT.** In the down position as shown, it's perfect for fishing. Flip it up to add roomy and comfortable seating.

**DRIVER'S CONSOLE.** The sporty driver's console features easy-to-read gauges, an AM/FM stereo with auxiliary port for an Mp3 Player and a tilt steering wheel.

**BOW ROD STORAGE.** Convenient in-bow rod storage keeps rods safe and out of the way.

**LIVEWELLS.** The Pro Sport boasts generous livewells. The 1900, shown here, has a bow and a stern livewell plus a bait bucket.

PRO SPORT SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1900 DC	18'10"	96"	38"	27"	96"	XLS	1,450	8	1,750	175	40	.125	.086	.125
1700 DC	17'1"	91"	35"	25"	90"	LS	1,220	5	1,350	135	31	.100	.086	.100
1600 DC	16'6"	88"	35"	25"	85"	LS	1,080	5	1,300	90	24	.080	.076	.080

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

# ADVENTURER

SYLVAN BOATS



1900 DC

1700 DC



**LIVEWELLS.** When you're on a roll, one just isn't enough. So the Adventurer has two livewells, bow and stern.

**DRIVER'S CONSOLE.** Large gauges, attractive bezels and a comfortable helm seat make the console stand out.

**SNAP-IN CARPET.** Snap-in carpet installs easily over the vinyl flooring, adding value and versatility.

**ROD STORAGE.** In-floor rod storage offers the ultimate protection. There's also port rod storage, along with plenty of spaces to stow your gear.



**REAR CONVERT-A-BENCH.** When down, the versatile bench gives you plenty of room for casting and setting up a bass seat.

**CLOSED BOW.** When closed, our innovative bow design creates an ideal casting platform.

**WALK-IN BOW WITH CUSHIONS.** Shown in the open position, the walk-in bow now provides roomy seating with cushions.

**IN-FLOOR ROD STORAGE.** There's a lot of storage onboard including this deluxe in-floor rod storage for added security.

07 MODELS SHOWN.

# EXPEDITION

SYLVAN BOATS



1800 DC

1700 DC

## ADVENTURER SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1900 DC	18'10"	96"	38"	27"	96"	XLS	1,460	8	1,750	175	31	.125	.086	.125
1700 DC	17'1"	91"	33"	25"	90"	LS	1,220	5	1,350	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

## EXPEDITION SPORT SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1800 DC	18'1"	91"	35"	25"	90"	XLS	1,250	7	1,625	150	31	.100	.086	.100
1700 DC	17'1"	91"	35"	25"	90"	LS	1,220	5	1,350	135	24	.100	.086	.100

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



# 08

## SYLVAN



1700 DC



1700 SC



1600 DC



1600 SC



**BOW LIVEWELL.** The 30 gallon livewell gives you enough room for a tournament-worthy day of fishing.

**DRIVER'S CONSOLE.** The driver's console has a sporty look and easy-to-read gauges. You can also choose a dual console model.


**STERN LIVEWELL.** The 1700 models have an additional aerated livewell on the stern.

**ROD STORAGE.** No worries about your rods en route to your favorite fishing hole. They tuck safely away in the rod storage area.

### EXPLORER SPECIFICATIONS

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1700 DC	17'1"	91"	33"	23"	90"	LS	1,130	5	1,350	135	31	.100	.086	.080
1700 SC	17'1"	91"	33"	23"	90"	LS	1,100	5	1,350	135	31	.100	.086	.080
1600 DC	16'2"	82"	33"	21"	77"	LS	880	5	1,275	75	24	.080	.070	.080
1600 SC	16'2"	82"	33"	21"	77"	LS	850	5	1,275	75	24	.080	.070	.080

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



**TROLLING MOTOR PANEL.** Gain control with a bow panel that includes the volt motor plug with battery gauge, main motor trim switch, livewell controls and light switches.

**DRIVER'S CONSOLE.** Get points for style with custom-molded silver metallic dash and a custom steering wheel.

**LIVEWELL.** The stern holds a huge 39-gallon aerated livewell with remote control plug with battery gauge, main motor trim switch, livewell controls and light switches.

**TACKLE TRAY.** Nothing compares to the convenience of this recessed three-tray tackle box in the bow.



**SPORT TROLLER ROD STORAGE.** The built-in rod storage keeps all your gear organized and safely stowed away.

**CASTING ROOM.** There's plenty of elbow room so everyone can find the perfect position for casting.


**LIVEWELL.** There's room for a whole day's worth of fishing in the port side livewell.

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.
206	20'6"	96"	39"	29"	92"	XLS	1,960	6	2,050	225	50
180	18'0"	96"	39"	29"	92"	XLS	1,763	6	1,950	175	37

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.

	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	FUEL CAPACITY GAL.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
1600 SELECT SC	16'0"	81"	33"	25"	74"	LS	725	5	1,250	60	N/A	.080	.064	.080
1600 SELECT	16'0"	81"	33"	25"	74"	LS	700	5	1,250	60	N/A	.080	.064	.080
1600 SPRT	16'10"	69"	33"	22"	59"	LS	555	5	1,100	40	N/A	.064	.060	.064
1400 SPRT	14'5"	67"	30"	19"	59"	LS/SS	475	4	975	35	N/A	.064	.060	.064
1600 SUPSNP	16'5"	70"	31"	22"	63"	LS	460	5	1,100	40	N/A	.064	.060	.064
1400 SUPSNP	14'2"	68"	30"	22"	60"	LS/SS	395	4	1,000	35	N/A	.064	.060	.064

All boats using OBs greater than 125 H.P. should have dual or hydraulic steering.



MODEL	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	BOTTOM GAUGE	SIDE GAUGE	RIB GAUGE
<b>STRIKER</b>													
1500 TL	15'5"	72"	32"	32"	61"	LS	290	4	1,100	25	.070	.060	.064
<b>ALASKAN</b>													
15 DLX TL	14'11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
13 DLX TL	12'11"	66"	26"	20"	56"	LS/SS	225	4	700	25	.064	.060	.064
12 DLX TL	11'11"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064
15 TLL	14'11"	68"	27"	21"	59"	LS/SS	270	4	850	35	.064	.060	.064
12 TLL	11'11"	63"	24"	19"	56"	LS/SS	185	3	700	15	.064	.060	.064
<b>SEA SNAPPER</b>													
1400	14'2"	68"	30"	30"	60"	LS/SS	230	5	1,000	35	.064	.060	.064
<b>SEA BREEZE</b>													
1400	13'10"	56"	20"	20"	50"	SS	130	4	700	15	.050	.050	.050
1200	11'9"	56"	20"	20"	50"	SS	112	3	600	10	.050	.050	.050

1400 SEA SNAPPER NOT SHOWN.

## STRIKER, ALASKAN, SEA BREEZE & SEA SNAPPER



MODEL	LENGTH	BEAM	DEPTH	INTERIOR DEPTH	TRANSOM WIDTH	TRANSOM HEIGHT	DRY WEIGHT LBS.	MAXIMUM PERSONS	MAXIMUM CAP. LBS.	MAXIMUM H.P.	BOTTOM GAUGE	SIDE GAUGE
<b>SPORTSMAN</b>												
1860	18'0"	86"	23"	21"	88"	LS	700	6	1,400	80	.100	.100
1660	16'0"	86"	23"	21"	88"	LS	640	6	1,350	65	.100	.100
<b>JON BOAT</b>												
1648	16'0"	72"	22"	22"	71"	LS/SS	295	4	900	35	.072	.072
1644 MV	16'0"	63"	22"	22"	68"	LS	300	4	900	35	.072	.072
1448	14'0"	72"	22"	22"	71"	LS/SS	260	3	900	25	.072	.072
1436	14'0"	57"	18"	18"	56"	SS	185	3	650	20	.064	.064
1432	14'0"	51"	16"	16"	50"	SS	140	2	390	7	.050	.050
1232	12'0"	51"	16"	16"	50"	SS	120	2	390	6	.050	.050
1032	10'0"	51"	16"	16"	50"	SS	100	2	290	3	.050	.050

SPORTSMAN 1860 AND 1448 JON NOT SHOWN.

## JONS

	Pro Sport 1900 DC	Pro Sport 1700 DC	Pro Sport 1600 DC	Adventurer 1900 DC	Adventurer 1700 DC	Expedition Sport 1800 DC	Expedition Sport 1700 DC	Explorer 1700 DC	Explorer 1700 SC	Explorer 1600 DC	Explorer 1600 SC	Viper 206	Viper 180	Select 1600 SC	Select 1600 TL	Sport Troller 1600 TL	Sport Troller 1400 TL	Super Snapper 1600 TL	Super Snapper 1400 TL	Striker 1500 TL	Alaskan Deluxe 15 TL	Alaskan Deluxe 13 TL	Alaskan Deluxe 12 TL	Alaskan 15 TLL	Alaskan 12 TLL	Sea Snapper 1400 TL	Sea Breeze 1400 TL	Sea Breeze 1200 TL		
<b>COLORS</b>																														
Black	—	—	S	—	—	—	—	S	S	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	
Blue	—	—	—	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Champagne	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Charcoal	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	S	—	—	—	—	—	—	—	—	—	
Gray	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	S	S	S	—	—	—	—	
Burgundy	—	—	—	—	—	S	S	—	—	—	—	S	S	S	S	—	—	—	—	—	—	—	—	—	—	S	—	—	—	
Red	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>HULL</b>																														
Gull Wing Hull	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Semi-V Hull	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3-Keels	—	—	—	—	—	—	—	—	—	—	S	S	—	—	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	
5-Keels	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>FLOOR/CARPET</b>																														
Treated Floor w/ Lifetime Warranty	S	S	S	S	S	S	S	S	S	S	S	S	—	—	S	S	S	S	S	S	—	S	S	S	—	—	—	—	—	
5 Year Carpet Warranty	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	
Vinyl Floor Covering	S	S	S	S	S	S	S	S	S	S	S	S	—	—	S	S	S	S	S	S	—	S	S	S	—	—	—	—	—	
Snap-In Carpet	S	S	S	S	S	S	S	S	S	O	O	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>WINDSHIELD</b>																														
Curved Walk-Thru Windshield	S	S	S	S	S	S	S	S	S	—	S	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Windscreen	—	—	—	—	—	—	—	—	—	—	O	—	O	—	—	O	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>CONSOLE/DASH</b>																														
Tachometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Speedometer	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Volt Meter	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Fuel Gauge	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Lighted Compass	—	—	—	—	—	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Horn	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Circuit Breakers	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	S	S	—	—	—	—	—	—	—	—	—	—	
Starboard Console	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	O	O	O	O	—	—	—	—	—	—	—	—	
<b>STEREO</b>																														
AM/FM Stereo w/ Auxiliary Port for MP3 Player	S	S	S	O	O	S	S	O	O	O	O	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<b>LIVEWELL</b>																														
Bow Livewell (gallons)	(18) LAT	(18) LAT	(30) A	(18) A	(18) A	(15) A	(15) A	(30) A	(30) A	(30) A	(30) A	(12) LAR	(12) LAR	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

L | lighted    A | aerated    R | recirculating    T | timed    S | standard    O | optional    — | not available on this model    \* Only Available with Deluxe.

	Pro Sport 1900 DC	Pro Sport 1700 DC	Pro Sport 1600 DC	Adventurer 1900 DC	Adventurer 1700 DC	Expedition Sport 1800 DC	Expedition Sport 1700 DC	Explorer 1700 DC	Explorer 1700 SC	Explorer 1600 DC	Explorer 1600 SC	Viper 206	Viper 180	Select 1600 SC	Select 1600 TL	Sport Troller 1600 TL	Sport Troller 1400 TL	Super Snapper 1600 TL	Super Snapper 1400 TL	Striker 1500 TL	Alaskan Deluxe 15 TL	Alaskan Deluxe 13 TL	Alaskan Deluxe 12 TL	Alaskan 15 TLL	Alaskan 12 TLL	Sea Snapper 1400 TL	Sea Breeze 1400 TL	Sea Breeze 1200 TL	
LIVEWELL (continued)																													
Port Livewell (gallons)	—	—	—	—	—	—	—	—	—	—	—	—	—	(21) A	(21) A	(21) A	(15) A	(25) A	(21) A	—	—	—	—	—	—	—	—	—	—
Stern Livewell (gallon)	(30) LAR	(18) LAR	(18) A	(30) A	(18) A	(30) A	(18) A	(18) A	(18) A	—	—	(39) LA	(39) LA	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Baitwell w/ Bucket	S	—	—	S	—	S	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
TROLLING MOTOR																													
Trolling Motor Panel	S	S	S	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Trolling Motor Plug	—	—	—	S	S	S	S	S	S	S	S	—	—	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—
Motor Tilt Switch	S	S	S	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	S	—	—	
CLEATS																													
4-Six Inch Cleats	—	—	S	S	S	—	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-Six Inch Pull-Up Cleats	S	S	—	—	—	S	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
LIGHTS																													
Navigation Lights	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—
Bow Courtesy Light	S	S	S	—	—	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stern Courtesy Light	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
SEATING																													
Movable Pedestals (qty)	—	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(1)	(1)	(1)	(1)	(1)	(1)	—	—	—	—	—	—	—	—	—	—	—	—
Stationary Pedestal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—
Movable Helm Pedestal w/ Slider	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Movable Helm Pedestal	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Movable Hydraulic Pedestals	(2)	—	—	—	—	—	—	—	—	—	—	(1)	(1)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Convert-a-Bench	—	—	—	O	O	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Removable Bench	—	—	—	—	—	—	—	O	O	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Flip-Up seats	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rear Removable Jump Seats	—	—	S	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bow Backrest w/ Cushions	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Seat Bases (qty)	(6)	(5)	(6)	(6)	(6)	(6)	(6)	(6)	(6)	(5)	(5)	(5)	(5)	(4)	(3)	(3)	(3)	(2)	—	—	—	—	—	—	—	—	—	—	—
Bass Seats	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(2)	(2)	(2)	(2)	O	—	—	—	—	—	—	—	—	—	—	—
Additional Bass Seat	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	—	—	—	—	—	—	—	—	—	—	—	—
Stem {hydraulic}	O	—	—	—	—	—	—	—	—	—	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3-Aluminum Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	S	S	
4-Aluminum Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	—	—	—	—	—	—	—	—	—
Aluminum Split Bench Seats	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	S	S	—	—	—	—	—	—

L | lighted    A | aerated    R | recirculating    T | timed

## STORAGE

Center Rod Storage	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—
In-Floor Rod Storage	—	—	—	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Port Rod Storage	S	S	S	S	S	S	S	—	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Starboard Rod Storage	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	
Starboard Side Storage	—	—	—	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	—	
Console Storage	S	S	S	S	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Rod Holders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	—	
Bow Storage	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Stern Storage	S	S	S	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
In-Floor Storage	S	S	—	—	—	—	—	—	—	—	—	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

## MISCELLANEOUS

Bow & Stern Castings w/ Handles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Oar Locks	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	
Nonskid Interior	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	S	S	
Lockable Glove Box	S	S	S	S	S	S	S	S	—	S	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Toe Kicks	S	S	S	S	—	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Reinforced for Downriggers	S	S	—	S	S	—	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bilge Pump	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	
Hydraulic Steering	S	—	—	S	—	S	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tilt Steering	S	S	S	S	S	S	S	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Stainless Steel Bow Rail	—	—	—	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Twice Baked Urethane Paint	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	S	S	—	—	—	—	—	—	—	—	—	—	—	—

## CUP HOLDER

Cup Holders	S	S	S	—	—	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
-------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

## BATTERY ACCESS

8" Access Plate	S	S	S	S	S	S	S	S	S	S	S	S	S	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battery Compartments (qty)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(2)	(2)	(2)	(2)	(3)	(2)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

## CANVAS

Fisherman's Top	S	O	O	O	O	O	O	O	—	O	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Side Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Aft Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Walk-Thru Curtains	O	O	O	O	O	O	O	O	—	O	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bow Cover	O	O	O	O	O	O	O	O	—	O	—	O	O	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mooring Cover	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	O	—

S | standard    O | optional    — | not available on this model    \* Only Available with Deluxe.

TO TALK TO THE DEALER NEAREST YOU, DIAL 866-766-9698.  
Connects directly to dealer. Please call during business hours.

SMOKERCRAFT  
FAMILY OF PRODUCTS



[www.sylvanmarine.com](http://www.sylvanmarine.com)

The specifications of any Sylvan boat are subject to change without notice.

Printed 10/07 323-B-01

**SYLVAN**  
P.O. Box 65  
New Paris, IN 46553

**SYLVAN WEST**  
P.O. Box 219  
Stayton, OR 97383

**SYLVAN SOUTH**  
P.O. Box 1267  
LaGrange, GA 30241

**SYLVAN NORTH**  
P.O. Box 129  
Minong, WI 54859



SYLVAN FISHING BOATS